## Accepted Manuscript

Extended calculations of energy levels, radiative properties, A<sub>J</sub>, B<sub>J</sub> hyperfine interaction constants, and Landé g<sub>J</sub>-factors for nitrogen-like Ge XXVI

K. Wang, C.Y. Zhang, P. Jönsson, R. Si, X.H. Zhao, Z.B. Chen, X.L. Guo, C.Y. Chen, J. Yan

 PII:
 S0022-4073(17)30712-4

 DOI:
 10.1016/j.jqsrt.2018.01.014

 Reference:
 JQSRT 5960

EXX 002.403     Hold State     Sec. 10.0
Journal of Quantitative Spectroscopy & Radiative Transfer
Editor-in CMAI P.E. Brrach, N.F. Mongie and M.L. Mildoheda

To appear in: Journal of Quantitative Spectroscopy & Radiative Transfer

Received date:16 September 2017Revised date:9 January 2018Accepted date:10 January 2018

Please cite this article as: K. Wang, C.Y. Zhang, P. Jönsson, R. Si, X.H. Zhao, Z.B. Chen, X.L. Guo, C.Y. Chen, J. Yan, Extended calculations of energy levels, radiative properties, A<sub>J</sub>, B<sub>J</sub> hyperfine interaction constants, and Landé g<sub>J</sub>-factors for nitrogen-like Ge XXVI, *Journal of Quantitative Spectroscopy* & *Radiative Transfer* (2018), doi: 10.1016/j.jqsrt.2018.01.014

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Highlights

- Energies, transition rates, hyperfine interaction constants, and Land gJ-factors of the lowest 272 levels in Ge XXVI are provided.
- The MCDHF and MBPT methods are employed.
- The most accurate and complete atomic data in Ge XXVI are provided to date.

Download English Version:

## https://daneshyari.com/en/article/7846163

Download Persian Version:

https://daneshyari.com/article/7846163

Daneshyari.com