

Accepted Manuscript

Theoretical energies, transition rates, lifetimes, hyperfine interaction constants and Landé g_J -factors for the Se XXVII spectrum of fusion interest

Zhan-Bin Chen, Xue-Ling Guo, Kai Wang

PII: S0022-4073(17)30802-6
DOI: [10.1016/j.jqsrt.2017.11.013](https://doi.org/10.1016/j.jqsrt.2017.11.013)
Reference: JQSRT 5904



To appear in: *Journal of Quantitative Spectroscopy & Radiative Transfer*

Received date: 19 October 2017
Revised date: 16 November 2017
Accepted date: 16 November 2017

Please cite this article as: Zhan-Bin Chen, Xue-Ling Guo, Kai Wang, Theoretical energies, transition rates, lifetimes, hyperfine interaction constants and Landé g_J -factors for the Se XXVII spectrum of fusion interest, *Journal of Quantitative Spectroscopy & Radiative Transfer* (2017), doi: [10.1016/j.jqsrt.2017.11.013](https://doi.org/10.1016/j.jqsrt.2017.11.013)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Energies, transition rates, hyperfine interaction constants, and Landé gJ -factors for the lowest 318 levels for the Se XXVII spectrum of fusion interest are reported.
- The most accurate and complete, as of today, atomic data on Se XXVII are provided.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/7846243>

Download Persian Version:

<https://daneshyari.com/article/7846243>

[Daneshyari.com](https://daneshyari.com)