


Accepted Manuscript

Two hydrogen adatoms on graphene exhibit attractive interaction, and the attraction between the two adatoms on different sublattices AB is much stronger. Hydrogen adatom interaction on graphene: a first principles study




Wei Zhang, Wen-Cai Lu, Hong-Xing Zhang, K.M. Ho, C.Z. Wang

PII: S0008-6223(18)30105-2
DOI: 10.1016/j.carbon.2018.01.096
Reference: CARBON 12837
To appear in: *Carbon*
Received Date: 13 July 2017
Revised Date: 23 December 2017
Accepted Date: 26 January 2018

Please cite this article as: Wei Zhang, Wen-Cai Lu, Hong-Xing Zhang, K.M. Ho, C.Z. Wang, Two hydrogen adatoms on graphene exhibit attractive interaction, and the attraction between the two adatoms on different sublattices AB is much stronger. Hydrogen adatom interaction on graphene: a first principles study, *Carbon* (2018), doi: 10.1016/j.carbon.2018.01.096

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Two hydrogen adatoms on graphene exhibit attractive interaction, and the attraction between the two adatoms on different sublattices AB is much stronger.

Download English Version:

<https://daneshyari.com/en/article/7848326>

Download Persian Version:

<https://daneshyari.com/article/7848326>

[Daneshyari.com](https://daneshyari.com)