


Accepted Manuscript

Quantitative correlation between interlayer distance and shear rate in liquid-based exfoliation of graphene layers

Tae-Rin Lee



PII: S0008-6223(17)31297-6

DOI: [10.1016/j.carbon.2017.12.068](https://doi.org/10.1016/j.carbon.2017.12.068)

Reference: CARBON 12698

To appear in: *Carbon*


Received Date: 5 September 2017

Revised Date: 5 December 2017


Accepted Date: 17 December 2017

Please cite this article as: T.-R. Lee, Quantitative correlation between interlayer distance and shear rate in liquid-based exfoliation of graphene layers, *Carbon* (2018), doi: 10.1016/j.carbon.2017.12.068.


This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.




$t = 0.1$ ms



$t = 0.3$ ms



$t = 0.5$ ms



Download English Version:

<https://daneshyari.com/en/article/7849030>

Download Persian Version:

<https://daneshyari.com/article/7849030>

[Daneshyari.com](https://daneshyari.com)