

Accepted Manuscript

Targeting ability of self-assembled nanomedicines in rat acute limb ischemia model is affected by size

Masamitsu Suhara, Yutaka Miura, Horacio Cabral, Daisuke Akagi, Yasutaka Anraku, Akihiro Kishimura, Masaya Sano, Takuya Miyazaki, Noriko Nakamura, Ayako Nishiyama, Kazunori Kataoka, Hiroyuki Koyama, Katsuyuki Hoshina



PII: S0168-3659(18)30452-8
DOI: doi:[10.1016/j.jconrel.2018.07.049](https://doi.org/10.1016/j.jconrel.2018.07.049)
Reference: COREL 9409
To appear in: *Journal of Controlled Release*
Received date: 30 November 2017
Revised date: 24 June 2018
Accepted date: 31 July 2018

Please cite this article as: Masamitsu Suhara, Yutaka Miura, Horacio Cabral, Daisuke Akagi, Yasutaka Anraku, Akihiro Kishimura, Masaya Sano, Takuya Miyazaki, Noriko Nakamura, Ayako Nishiyama, Kazunori Kataoka, Hiroyuki Koyama, Katsuyuki Hoshina , Targeting ability of self-assembled nanomedicines in rat acute limb ischemia model is affected by size. Corel (2018), doi:[10.1016/j.jconrel.2018.07.049](https://doi.org/10.1016/j.jconrel.2018.07.049)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Targeting ability of self-assembled nanomedicines in rat acute limb ischemia model is affected by size

Masamitsu Suhara^a, Yutaka Miura^b, Horacio Cabral^b, Daisuke Akagi^a, Yasutaka Anraku^b, Akihiro Kishimura^c, Masaya Sano^a, Takuya Miyazaki^b, Noriko Nakamura^b, Ayako Nishiyama^a, Kazunori Kataoka^{d,e}, Hiroyuki Koyama^a, Katsuyuki Hoshina^{a,*}
hopyy-tyk@umin.ac.jp

^aDepartment of Vascular Surgery, Graduate School of Medicine, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8655, Japan

^bDepartment of Bioengineering, School of Engineering, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8655, Japan

^cDepartment of Applied Chemistry, Faculty of Engineering, and Center for Molecular Systems, Kyushu University, 744 Motoooka, Nishi-ku, Fukuoka 819-0395, Japan

^dInnovation Center of NanoMedicine, Kawasaki Institute of Industry Promotion, 66-20 Horikawa-cho, Saiwai-ku, Kawasaki 212-0013, Japan

^ePolicy Alternatives Research Institute, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-0033, Japan

*Corresponding author at: Division of Vascular Surgery, Department of Surgery, Graduate School of Medicine, the University of Tokyo, 7-3-1, Hongo, Bunkyo-ku, Tokyo 113-8655, Japan.

Download English Version:

<https://daneshyari.com/en/article/7859320>

Download Persian Version:

<https://daneshyari.com/article/7859320>

[Daneshyari.com](https://daneshyari.com)