ROS-triggered degradable iron-chelating nanogels: Safely improving iron elimination in vivo

Zhi Liu, Jing Qiao, Tamas Nagy, May P. Xiong

PII: S0168-3659(18)30291-8
DOI: doi:10.1016/j.jconrel.2018.05.025
Reference: COREL 9307

To appear in: *Journal of Controlled Release*

Received date: 5 February 2018
Revised date: 8 April 2018
Accepted date: 19 May 2018

Please cite this article as: Zhi Liu, Jing Qiao, Tamas Nagy, May P. Xiong , ROS-triggered degradable iron-chelating nanogels: Safely improving iron elimination in vivo. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Corel(2017), doi:10.1016/j.jconrel.2018.05.025

ROS-Triggered Degradable Iron-Chelating Nanogels: Safely Improving Iron Elimination *in Vivo*

Zhi Liu[a], Jing Qiao[a], Tamas Nagy[b], May P. Xiong[a,] *

[a]Department of Pharmaceutical & Biomedical Sciences, College of Pharmacy, University of Georgia, Athens, GA 30602-2352, USA

[b]Department of Pathology, College of Veterinary Medicine, University of Georgia, Athens, GA 30602-7388, USA

*Corresponding author.

E-mail: mpxiong@uga.edu.