

## Accepted Manuscript

A hepatic pDNA delivery system based on an intracellular environment sensitive vitamin E-scaffold lipid-like material with the aid of an anti-inflammatory drug

Ryohei Togashi, Hiroki Tanaka, Sakiko Nakamura, Hideo Yokota, Kota Tange, Yuta Nakai, Hiroki Yoshioka, Hideyoshi Harashima, Hidetaka Akita

PII: S0168-3659(18)30206-2  
DOI: doi:[10.1016/j.jconrel.2018.04.022](https://doi.org/10.1016/j.jconrel.2018.04.022)  
Reference: COREL 9249  
To appear in: *Journal of Controlled Release*  
Received date: 30 October 2017  
Revised date: 29 March 2018  
Accepted date: 11 April 2018



Please cite this article as: Ryohei Togashi, Hiroki Tanaka, Sakiko Nakamura, Hideo Yokota, Kota Tange, Yuta Nakai, Hiroki Yoshioka, Hideyoshi Harashima, Hidetaka Akita, A hepatic pDNA delivery system based on an intracellular environment sensitive vitamin E-scaffold lipid-like material with the aid of an anti-inflammatory drug. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Corel(2018), doi:[10.1016/j.jconrel.2018.04.022](https://doi.org/10.1016/j.jconrel.2018.04.022)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

*Journal of controlled release*

**A Hepatic pDNA Delivery System based on an Intracellular Environment Sensitive Vitamin E-scaffold Lipid-like Material with the aid of an anti-inflammatory drug.**

**Ryohei Togashi<sup>1</sup>, Hiroki Tanaka<sup>2</sup>, Sakiko Nakamura<sup>3</sup>, Hideo Yokota<sup>3</sup>, Kota Tange<sup>4</sup>, Yuta Nakai<sup>4</sup>, Hiroki Yoshioka<sup>4</sup>, Hideyoshi Harashima<sup>1</sup>, Hidetaka Akita<sup>2,\*</sup>**

<sup>1</sup>Laboratory for Molecular Design of Pharmaceutics, Faculty of Pharmaceutical Science, Hokkaido University, Kita-12, Nishi-6, Kita-ku, Sapporo 060-0812, Japan

<sup>2</sup>Laboratory of Pharmacology and Toxicology, Graduate School of Pharmaceutical Science, Chiba University, 1-8-1, Inohana, Chuo-ku, Chiba-Shi, Chiba 260-0865, Japan

<sup>3</sup>Image Processing Research Team, RIKEN Center for Advanced Photonics, RIKEN, Wako, Saitama, Japan

<sup>4</sup>NOF Corporation, 3-3 Chidori-cho, Kawasaki-ku, Kawasaki, Kanagawa 210-0865, Japan

\* Corresponding author. Tel.: +81 43 226 7744; fax: +81 43 226 7744

E-mail addresses: akitaHide@chiba-u.jp (H. Akita)

---

Download English Version:

<https://daneshyari.com/en/article/7859766>

Download Persian Version:

<https://daneshyari.com/article/7859766>

[Daneshyari.com](https://daneshyari.com)