

Accepted Manuscript

A neutral lipid envelope-type nanoparticle composed of a pH-activated and vitamin E-scaffold lipid-like material as a platform for a gene carrier targeting renal cell carcinoma

Hidetaka Akita, Ryohei Ishiba, Ryohei Togashi, Kota Tange, Yuta Nakai, Hiroto Hatakeyama, Hideyoshi Harashima

PII: S0168-3659(14)00826-8
DOI: doi: [10.1016/j.jconrel.2014.12.029](https://doi.org/10.1016/j.jconrel.2014.12.029)
Reference: COREL 7495

To appear in: *Journal of Controlled Release*

Received date: 1 May 2014
Revised date: 7 November 2014
Accepted date: 23 December 2014



Please cite this article as: Hidetaka Akita, Ryohei Ishiba, Ryohei Togashi, Kota Tange, Yuta Nakai, Hiroto Hatakeyama, Hideyoshi Harashima, A neutral lipid envelope-type nanoparticle composed of a pH-activated and vitamin E-scaffold lipid-like material as a platform for a gene carrier targeting renal cell carcinoma, *Journal of Controlled Release* (2014), doi: [10.1016/j.jconrel.2014.12.029](https://doi.org/10.1016/j.jconrel.2014.12.029)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Journal of controlled release

A neutral lipid envelope-type nanoparticle composed of a pH-activated and vitamin E-scaffold lipid-like material as a platform for a gene carrier targeting renal cell carcinoma

Hidetaka Akita^{1,3,*}, Ryohei Ishiba^{1,3}, Ryohei Togashi^{1,3}, Kota Tange², Yuta Nakai², Hiroto Hatakeyama¹, Hideyoshi Harashima^{1,}**

* Corresponding author. Tel.: +81 11 706 3735; fax: +81 11 706 4879

** Corresponding author. Tel.: +81 11 706 3919; fax: +81 11 706 4879

¹Laboratory for Molecular Design of Pharmaceuticals, Faculty of Pharmaceutical Science, Hokkaido University, Kita-12, Nishi-6, Kita-ku, Sapporo, Japan

²NOF Corporation, 3-3 Chidori-cho, Kawasaki-ku, Kawasaki, Kanagawa 210-0865, Japan

³ These authors equally contributed to this study. The authors are listed alphabetically in accordance with family name.

E-mail addresses: akita@pharm.hokudai.ac.jp (H. Akita), harashima@pharm.hokudai.ac.jp (H. Harashima)

Keywords: cancer, gene delivery, renal carcinoma, angiogenesis

Download English Version:

<https://daneshyari.com/en/article/7863888>

Download Persian Version:

<https://daneshyari.com/article/7863888>

[Daneshyari.com](https://daneshyari.com)