


Accepted Manuscript

Chitosan/hyaluronan/edaravone membranes for anti-inflammatory wound dressing: In vitro and in vivo evaluation studies

Tamer M. Tamer, Katarína Valachová, Mohamed A. Hassan, Ahmed M. Omer, Muhammad E.A. El-Shafeey, Mohamed S. Mohy Eldin, Ladislav Šoltés



PII: S0928-4931(17)33646-9
DOI: doi:[10.1016/j.msec.2018.04.053](https://doi.org/10.1016/j.msec.2018.04.053)
Reference: MSC 8510
To appear in: *Materials Science & Engineering C*
Received date: 10 September 2017
Revised date: 3 April 2018
Accepted date: 17 April 2018

Please cite this article as: Tamer M. Tamer, Katarína Valachová, Mohamed A. Hassan, Ahmed M. Omer, Muhammad E.A. El-Shafeey, Mohamed S. Mohy Eldin, Ladislav Šoltés, Chitosan/hyaluronan/edaravone membranes for anti-inflammatory wound dressing: In vitro and in vivo evaluation studies. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Msc(2017), doi:[10.1016/j.msec.2018.04.053](https://doi.org/10.1016/j.msec.2018.04.053)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Chitosan/hyaluronan/edaravone membranes for anti-inflammatory wound dressing: *In vitro* and *in vivo* evaluation studies

Tamer M. Tamer^{a,b,*}, Katarína Valachová^b, Mohamed A. Hassan^{c,*}, Ahmed M. Omer^a, Muhammad E. A. El-Shafeey^d, Mohamed S. Mohy Eldin^a, Ladislav Šoltés^b

^a*Polymer Materials Research Department, Advanced Technologies and New Materials Research Institute, City of Scientific Research and Technological Applications (SRTA-City), New Borg El-Arab City, P.O. Box: 21934 Alexandria, Egypt*

^b*Laboratory of Bioorganic Chemistry of Drugs, Institute of Experimental Pharmacology and Toxicology, 84104 Bratislava, Slovakia*

^c*Protein Research Department, Genetic Engineering and Biotechnology Research Institute (GEBRI), City of Scientific Research and Technological Applications (SRTA-City), New Borg El-Arab City, P.O. Box: 21934 Alexandria, Egypt*

^d*Department of Medical Biotechnology, Genetic Engineering and Biotechnology Research Institute (GEBRI), City of Scientific Research and Technological Applications (SRTA-City), New Borg El-Arab City, P.O. Box: 21934 Alexandria, Egypt*

*Corresponding author

1- Tamer M. Tamer

E-mail address: ttamer85@gmail.com; tmahmoud@srtacity.sci.eg

2- Mohamed A. Hassan

E-mail address: m_adelmicro@yahoo.com

Download English Version:

<https://daneshyari.com/en/article/7865954>

Download Persian Version:

<https://daneshyari.com/article/7865954>

[Daneshyari.com](https://daneshyari.com)