


Accepted Manuscript

Chemistry and three-dimensional morphology of martensite-austenite constituent in the bainite structure of low-carbon low-alloy steels

N. Takayama, G. Miyamoto, T. Furuhashi



PII: S1359-6454(17)30979-5

DOI: [10.1016/j.actamat.2017.11.036](https://doi.org/10.1016/j.actamat.2017.11.036)

Reference: AM 14207

To appear in: *Acta Materialia*

Received Date: 31 July 2017

Revised Date: 16 November 2017


Accepted Date: 19 November 2017

Please cite this article as: N. Takayama, G. Miyamoto, T. Furuhashi, Chemistry and three-dimensional morphology of martensite-austenite constituent in the bainite structure of low-carbon low-alloy steels, *Acta Materialia* (2017), doi: 10.1016/j.actamat.2017.11.036.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.


Transformation behavior

On the cooling (673K)




R.T.

cooling




3D Image


MA between coarse bainite



MA within prior austenite grain



Chemical composition

Relationship between T_0 composition

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/7876817>

Download Persian Version:

<https://daneshyari.com/article/7876817>

[Daneshyari.com](https://daneshyari.com)