

Effect of heat treatment condition on magnetic, electrical transport and magnetoresistance properties of $\text{La}_{0.67}\text{Sr}_{0.33}\text{MnO}_3$ manganite coatings

Yu Zhou, Xinde Zhu, Shengli Li



www.elsevier.com/locate/ceri

PII: S0272-8842(18)31277-X
DOI: <https://doi.org/10.1016/j.ceramint.2018.05.130>
Reference: CERI18305

To appear in: *Ceramics International*

Received date: 15 April 2018
Revised date: 6 May 2018
Accepted date: 15 May 2018

Cite this article as: Yu Zhou, Xinde Zhu and Shengli Li, Effect of heat treatment condition on magnetic, electrical transport and magnetoresistance properties of $\text{La}_{0.67}\text{Sr}_{0.33}\text{MnO}_3$ manganite coatings, *Ceramics International*, <https://doi.org/10.1016/j.ceramint.2018.05.130>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Effect of heat treatment condition on magnetic, electrical
transport and magnetoresistance properties of $\text{La}_{0.67}\text{Sr}_{0.33}\text{MnO}_3$
manganite coatings**

Yu Zhou, Xinde Zhu^{}, Shengli Li^{*}*

Key Laboratory for Liquid-Solid Structural Evolution and Processing of Materials (Ministry of Education),

School of Materials Science and Engineering, Shandong University, Jingshi Road 17923, Shandong Ji'nan,

250061, P. R. China

zhuxinde@sdu.edu.cn

lishengli@sdu.edu.cn

^{*}Corresponding author. Xinde Zhu and Shengli Li Tel.: +86 531 88395620; fax: +86 531 88392313.

Download English Version:

<https://daneshyari.com/en/article/7885972>

Download Persian Version:

<https://daneshyari.com/article/7885972>

[Daneshyari.com](https://daneshyari.com)