

# Author's Accepted Manuscript

Carbon Fiber Reinforced Ceramic Matrix Composites with an Oxidation Resistant Boron Nitride Interface Coating

Samuel J. Frueh, Timothy P. Coons, Justin W. Reutenauer, Rebecca Gottlieb, Michael A. Kmetz, Steven L. Suib



[www.elsevier.com/locate/ceri](http://www.elsevier.com/locate/ceri)

PII: S0272-8842(18)31322-1  
DOI: <https://doi.org/10.1016/j.ceramint.2018.05.177>  
Reference: CER118352

To appear in: *Ceramics International*

Received date: 9 April 2018  
Revised date: 18 May 2018  
Accepted date: 20 May 2018

Cite this article as: Samuel J. Frueh, Timothy P. Coons, Justin W. Reutenauer, Rebecca Gottlieb, Michael A. Kmetz and Steven L. Suib, Carbon Fiber Reinforced Ceramic Matrix Composites with an Oxidation Resistant Boron Nitride Interface Coating, *Ceramics International*, <https://doi.org/10.1016/j.ceramint.2018.05.177>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Carbon Fiber Reinforced Ceramic Matrix Composites with an Oxidation Resistant Boron Nitride Interface Coating

*Samuel J. Frueh<sup>a</sup>, Timothy P. Coons<sup>a</sup>, Justin W. Reutenauer<sup>a</sup>, Rebecca Gottlieb<sup>a</sup>, Michael  
A. Kmetz<sup>b</sup>, and Steven L. Suib<sup>a\*</sup>*

<sup>a</sup>Department of Chemistry, University of Connecticut, Storrs CT, 06269

<sup>b</sup>Pratt & Whitney, East Hartford CT, 06118

\*Corresponding author:  
steven.suib@uconn.edu

University of Connecticut  
Department of Chemistry  
55 N. Eagleville Rd  
Storrs, CT 06269  
USA

Phone: 1-860-486-2797  
FAX: 1-860-486-2981

## **Abstract**

Toughening a ceramic in a ceramic matrix composite (CMC) depends on an ability of the composite to tolerate an accumulation of matrix cracks. When the reinforcement phase is

Download English Version:

<https://daneshyari.com/en/article/7886218>

Download Persian Version:

<https://daneshyari.com/article/7886218>

[Daneshyari.com](https://daneshyari.com)