
Author's Accepted Manuscript

Black Plasma-Sprayed Ta₂O₅ Coatings with Photothermal Effect for Bone Tumor Therapy

Ding Ding, Youtao Xie, Kai Li, Liping Huang, Xuebin Zheng



 PII:
 S0272-8842(18)30720-X

 DOI:
 https://doi.org/10.1016/j.ceramint.2018.03.155

 Reference:
 CERI17792

To appear in: Ceramics International

Received date: 27 February 2018 Revised date: 15 March 2018 Accepted date: 17 March 2018

Cite this article as: Ding Ding, Youtao Xie, Kai Li, Liping Huang and Xuebin Zheng, Black Plasma-Sprayed Ta₂O₅ Coatings with Photothermal Effect for Bone Tumor Therapy, *Ceramics International*, https://doi.org/10.1016/j.ceramint.2018.03.155

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Black Plasma-Sprayed Ta₂O₅ Coatings with Photothermal Effect for Bone

Tumor Therapy

Ding Ding^{1,2}, Youtao Xie¹, Kai Li¹, Liping Huang¹, Xuebin Zheng^{1*}

¹Key Laboratory of Inorganic Coating Materials CAS, Shanghai Institute of Ceramics,

Chinese Academy of Sciences, Shanghai 200050, China

²University of Chinese Academy of Sciences, Beijing 100049, China

*Corresponding author. Xuebin Zheng Shanghai Institute of Ceramics, Chinese Academy of Sciences, xbzheng@mail.sic.ac.cn

Abstract

In this work, a black vacuum-plasma-sprayed Ta_2O_5 coating (VTO) was fabricated using white Ta_2O_5 powder as a raw material. Interestingly, a gray Ta_2O_5 coating was obtained by heat treatment of VCO coating (HVTO). The morphology, phase composition, photothermal conversion and cancer therapy effect *in vitro* of VTO and HVTO were comprehensively evaluated. Experimental results showed that VTO exhibited higher photothermal conversion effect and had an efficiency of 30.8% with Download English Version:

https://daneshyari.com/en/article/7886627

Download Persian Version:

https://daneshyari.com/article/7886627

Daneshyari.com