Author's Accepted Manuscript

Densification and microstructure evolution of reactively sintered transparent spinel ceramics

Dan Han, Jian Zhang, Peng Liu, Gui Li, Shiwei Wang



 PII:
 S0272-8842(18)30673-4

 DOI:
 https://doi.org/10.1016/j.ceramint.2018.03.109

 Reference:
 CERI17746

To appear in: Ceramics International

Received date:8 February 2018Revised date:12 March 2018Accepted date:13 March 2018

Cite this article as: Dan Han, Jian Zhang, Peng Liu, Gui Li and Shiwei Wang, Densification and microstructure evolution of reactively sintered transparent spinel ceramics, *Ceramics International*, https://doi.org/10.1016/j.ceramint.2018.03.109

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Densification and microstructure evolution of reactively sintered transparent spinel ceramics

Dan Han^{a, b}, Jian Zhang^{a, c*}, Peng Liu^d, Gui Li^a, Shiwei Wang^{a, c*}

^a Key Laboratory of Transparent Opto-functional Inorganic Materials, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai, 200050, P.R. China

^b University of Chinese Academy of Sciences, Beijing 100049, China

^c The State Key Lab of High Performance Ceramics and Surperfine Microstructure, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai, 200050, P.R. China

^d School of Physics and Electronics Engineering, Jiangsu Normal University, Xuzhou, 221116, P.R.

China

*Corresponding author: jianzhang@mail.sic.ac.cn; swwang51@mail.sic.ac.cn

Abstract

Reactive sintering is an effective and simple method to prepare transparent spinel ceramics. In this research, transparent MgO·nAl₂O₃ ($0.98 \le n \le 2$) spinel ceramics were prepared via reactive sintering in air followed by hot isostatic press (HIP), using MgO and γ -Al₂O₃ powders as raw materials. The influence of composition on densification and microstructure evolution was systemically investigated. More importantly, the relationship between microstructure of presintered samples and final properties of transparent ceramics was singled out. Thermodynamically stable large pores were easily generated in magnesia-rich and stoichiometric samples after presintering in air, causing severe abnormal grain growth during the HIP treatment and poor optical quality of the resulting samples. The presintering temperature of alumina-rich samples

Download English Version:

https://daneshyari.com/en/article/7886776

Download Persian Version:

https://daneshyari.com/article/7886776

Daneshyari.com