Title: Tailoring cathode composite boosts the performance of proton-conducting SOFCs fabricated by a one-step co-firing method

Authors: Hailu Dai, Eman Husni Da'as, Shahid P. Shafi, Huiqiang Wang, Lei Bi

PII: S0955-2219(18)30096-7
DOI: https://doi.org/10.1016/j.jeurceramsoc.2018.02.022
Reference: JECS 11737

To appear in: *Journal of the European Ceramic Society*

Received date: 17-11-2017
Revised date: 10-2-2018
Accepted date: 12-2-2018

Please cite this article as: Dai H, Da'as EH, Shafi SP, Wang H, Bi L, Tailoring cathode composite boosts the performance of proton-conducting SOFCs fabricated by a one-step co-firing method, *Journal of The European Ceramic Society* (2010), https://doi.org/10.1016/j.jeurceramsoc.2018.02.022

Tailoring cathode composite boosts the performance of proton-conducting SOFCs fabricated by a one-step co-firing method

Hailu Dai [1], Eman Husni Da'as [2], Shahid P. Shafi [3], Huiqiang Wang [4 *] and Lei Bi [5,6 *]

1. School of Materials Science and Engineering, Yancheng Institute of Technology, Yancheng 224051, PR China
2. Energy and Building Research Center, Kuwait Institute for Scienctific Research, Shuwaikh, Kuwait.
3. Department of Chemistry, Indian Institute of Science Education and Research (IISER) Pune, Dr. Homi Bhabha Road, Pashan, Pune, 411008, India
4. College of Mechanical and Electric Engineering, Hebei Agricultural University, Baoding Hebei 071001, China
5. Institute of Materials for Energy and Environment, Qingdao University, Ningxia Road No.308, Qingdao 266071, China
6. College of Materials Science and Engineering, Qingdao University, Ningxia Road No.308, Qingdao 266071, China

* Corresponding authors.

Tel./Fax: +86-532-85951496

Email: whq@hebau.edu.cn (H. Q. Wang); bilei@qdu.edu.cn, bilei81@gmail.com (L. Bi)

Abstract