Accepted Manuscript

Title: Waterborne carbon nanotube ink for the preparation of electrodes with applications in electrocatalysis and enzymatic biosensing

Authors: Octavio Garate, Lionel Veiga, Anahí V. Medrano, Gloria Longinotti, Gabriel Ybarra, Leandro N. Monsalve

PII: S0025-5408(17)34623-8

DOI: https://doi.org/10.1016/j.materresbull.2018.05.015

Reference: MRB 10012

To appear in: MRB

Received date: 11-1-2018 Revised date: 6-5-2018 Accepted date: 13-5-2018

Please cite this article as: Garate O, Veiga L, Medrano AV, Longinotti G, Ybarra G, Monsalve LN, Waterborne carbon nanotube ink for the preparation of electrodes with applications in electrocatalysis and enzymatic biosensing, *Materials Research Bulletin* (2018), https://doi.org/10.1016/j.materresbull.2018.05.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Waterborne carbon nanotube ink for the preparation of electrodes with applications in electrocatalysis and enzymatic biosensing

Octavio Garate, ¹ Lionel Veiga, ¹ Anahí V. Medrano, ² Gloria Longinotti, ¹ Gabriel Ybarra, ¹ Leandro N. Monsalve^{2,3*}

¹UT Nanomateriales, INTI-Procesos Superficiales, Instituto Nacional de Tecnología Industrial, Av. Gral. Paz 5445, B1650WAB, San Martín, Argentina.

²INTI-CMNB, Instituto Nacional de Tecnología Industrial, Av. Gral. Paz 5445, B1650WAB, San Martín, Argentina.

³CONICET-INTI.

Graphical Abstract:



Highlights:

- A water-based carbon nanotube ink was prepared and applied by rod coating as a single layer onto a flexible substrate.
- The printed layer was conductive, flexible and showed electrocatalytic behavior.
- The printed layer could be used as an enzymatic biosensor.

^{*} Corresponding author. Tel.: + 54 11 4724 6390. E-mail: monsalve@inti.gob.ar

Download English Version:

https://daneshyari.com/en/article/7904362

Download Persian Version:

https://daneshyari.com/article/7904362

<u>Daneshyari.com</u>