Accepted Manuscript

Enhanced electrochemical performance of amorphous carbon nanotube-manganese-di-oxide-poly-pyrrole ternary nanohybrid

D. Pahari, N.S. Das, B. Das, P. Howli, K.K. Chattopadhyay, D. Baneriee

PII: S1293-2558(17)30938-X

DOI: 10.1016/j.solidstatesciences.2017.10.012

Reference: SSSCIE 5585

To appear in: Solid State Sciences

Received Date: 1 October 2017
Revised Date: 24 October 2017
Accepted Date: 26 October 2017

Please cite this article as: D. Pahari, N.S. Das, B. Das, P. Howli, K.K. Chattopadhyay, D. Banerjee, Enhanced electrochemical performance of amorphous carbon nanotube-manganese-di-oxide-polypyrrole ternary nanohybrid, *Solid State Sciences* (2017), doi: 10.1016/j.solidstatesciences.2017.10.012.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.




ACCEPTED MANUSCRIPT

Graphical Abstract

Title: Enhanced Electrochemical Performance of Amorphous Carbon Nanotube-Manganese-di-Oxide-Poly-Pyrrole Ternary Nanohybrid

Author: D. Pahari, N.S. Das, B. Das, P. Howli, K. K. Chattopadhyay, D. Banerjee

- 1. Amorphous Carbon nanotubes (a-CNTs) were synthesized by chemical method.
- 2. a-CNTs-MnO2-PPy ternary nanohybrid was developed with different polymer concentration.
- 3. Detail optical and electrochemical studies have been done for all the samples.
- 4. Effect of amount of conducting polymer materials on electrochemical analysis was studied.



Download English Version:

https://daneshyari.com/en/article/7914838

Download Persian Version:

https://daneshyari.com/article/7914838

Daneshyari.com