

Accepted Manuscript

Research paper

Performance of two mixed refrigerant processes for providing refrigeration at 70 k

Vineed Narayanan, G. Venkatarathnam

PII: S0011-2275(16)30057-1

DOI: <http://dx.doi.org/10.1016/j.cryogenics.2016.06.012>

Reference: JCRY 2595

To appear in: *Cryogenics*


Received Date: 16 March 2016

Revised Date: 23 May 2016

Accepted Date: 21 June 2016

Please cite this article as: Narayanan, V., Venkatarathnam, G., Performance of two mixed refrigerant processes for providing refrigeration at 70 k, *Cryogenics* (2016), doi: <http://dx.doi.org/10.1016/j.cryogenics.2016.06.012>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



PERFORMANCE OF TWO MIXED REFRIGERANT PROCESSES FOR PROVIDING REFRIGERATION AT 70 K

Vineed Narayanan
and
G. Venkatarathnam

Refrigeration and Air Conditioning Laboratory
Department of Mechanical Engineering
Indian Institute of Technology Madras
Chennai 600036, India

ABSTRACT

Mixed refrigerant process refrigerators are ideal for use in superconducting transformers, fault current limiters etc. placed in a liquid nitrogen bath. Traditional mixed refrigerant processes used above 70 K cannot be used in these applications. The performance of two mixed refrigerant processes suitable for the above applications has been studied, the results of which are presented in this paper.

Keywords: Mixed refrigerant processes, high temperature superconductors, J-T cryocoolers.

Download English Version:

<https://daneshyari.com/en/article/7915914>

Download Persian Version:

<https://daneshyari.com/article/7915914>

[Daneshyari.com](https://daneshyari.com)