

Accepted Manuscript

Highly sensitive amperometric creatinine biosensor based on creatinine deiminase/
Nafion[®]-nanostructured polyaniline composite sensing film prepared with cyclic
voltammetry

Jing-Shan Do, Yu-Hsuan Chang, Ming-Liao Tsai

PII: S0254-0584(18)30649-7

DOI: [10.1016/j.matchemphys.2018.07.057](https://doi.org/10.1016/j.matchemphys.2018.07.057)

Reference: MAC 20843

To appear in: *Materials Chemistry and Physics*


Received Date: 3 May 2018

Revised Date: 28 July 2018


Accepted Date: 31 July 2018

Please cite this article as: J.-S. Do, Y.-H. Chang, M.-L. Tsai, Highly sensitive amperometric creatinine biosensor based on creatinine deiminase/Nafion[®]-nanostructured polyaniline composite sensing film prepared with cyclic voltammetry, *Materials Chemistry and Physics* (2018), doi: 10.1016/j.matchemphys.2018.07.057.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Graphical abstract



Download English Version:

<https://daneshyari.com/en/article/7921131>

Download Persian Version:

<https://daneshyari.com/article/7921131>

[Daneshyari.com](https://daneshyari.com)