Accepted Manuscript

Electrochemical behavior of tin anode in ascorbic acid solutions

Nobl F. El Boraei, Sayed S. Abd El Rehim

PII:	S0254-0584(18)30445-0
DOI:	10.1016/j.matchemphys.2018.05.040
Reference:	MAC 20655
To appear in:	Materials Chemistry and Physics


Received Date: 31 January 2018

Accepted Date: 18 May 2018



Please cite this article as: Nobl F. El Boraei, Sayed S. Abd El Rehim, Electrochemical behavior of tin anode in ascorbic acid solutions, *Materials Chemistry and Physics* (2018), doi: 10.1016/j. matchemphys.2018.05.040

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



A. Sn + Ascorbic acid

The curve involve active / passive transition

followed by pitting corrosion.

B. Sn + Ascorbic acid+ Cl

Cl⁻ promotes anodic dissolution of Sn and accelerates

pitting corrosion rate.

Download English Version:

https://daneshyari.com/en/article/7921415

Download Persian Version:

https://daneshyari.com/article/7921415

Daneshyari.com