


Accepted Manuscript

Effect of solvent on the key properties of Al doped ZnO films prepared by nebulized spray pyrolysis technique

K.Deva Arun Kumar, V. Ganesh, S. Valanarasu, Mohd. Shkir, I. Kulandaisamy, A. Kathalingam, S. AlFaify



PII: S0254-0584(18)30198-6

DOI: [10.1016/j.matchemphys.2018.03.035](https://doi.org/10.1016/j.matchemphys.2018.03.035)

Reference: MAC 20438

To appear in: *Materials Chemistry and Physics*

Please cite this article as: K.Deva Arun Kumar, V. Ganesh, S. Valanarasu, Mohd. Shkir, I. Kulandaisamy, A. Kathalingam, S. AlFaify, Effect of solvent on the key properties of Al doped ZnO films prepared by nebulized spray pyrolysis technique, *Materials Chemistry and Physics* (2018), doi: 10.1016/j.matchemphys.2018.03.035

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- 1) Good quality AZO films have been deposited by nebulized spray pyrolysis technique.
- 2) X-ray diffraction and FT-Raman studies were confirms their good crystalline nature.
- 3) Deposited films are of high optical transparency confirmed by UV-Vis-NIR study.
- 4) Optical band gap is found in the range from 3.34 to 3.28 eV for 5ml to 15ml solution.
- 5) Thin films possess high n ($3.54 \times 10^{20} \text{ cm}^{-3}$) and ρ ($4.37 \times 10^{-3} \Omega\text{-cm}$) values at 15ml solution.

Download English Version:

<https://daneshyari.com/en/article/7921697>

Download Persian Version:

<https://daneshyari.com/article/7921697>

[Daneshyari.com](https://daneshyari.com)