


Accepted Manuscript

The effect of nano Zirconium dioxide and drilling on the buckling strength of epoxy based nanocomposites

Yasser Rostamiyan, Mehran Rezaei



PII: S0254-0584(18)30181-0

DOI: [10.1016/j.matchemphys.2018.03.018](https://doi.org/10.1016/j.matchemphys.2018.03.018)

Reference: MAC 20421

To appear in: *Materials Chemistry and Physics*

Please cite this article as: Yasser Rostamiyan, Mehran Rezaei, The effect of nano Zirconium dioxide and drilling on the buckling strength of epoxy based nanocomposites, *Materials Chemistry and Physics* (2018), doi: 10.1016/j.matchemphys.2018.03.018

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

- Buckling strength of ZrO₂/ Epoxy nanocomposite before and after applying damage
- Applying damage with two kinds of cutting drilling tools: flat and ball end
- Studying the buckling strength and failure analysis

Download English Version:

<https://daneshyari.com/en/article/7921851>

Download Persian Version:

<https://daneshyari.com/article/7921851>

[Daneshyari.com](https://daneshyari.com)