


Accepted Manuscript

Efficient Colloidal Route to Pure Phase Kesterite $\text{Cu}_2\text{ZnSnS}_4$ (CZTS)
Nanocrystals with Controlled Shape and Structure

Shefali Jain, Parul Chawla, Shailesh Narain Sharma, Dinesh Singh, N. Vijayan



PII: S0749-6036(17)33046-X

DOI: 10.1016/j.spmi.2018.04.003

Reference: YSPMI 5617

To appear in: *Superlattices and Microstructures*


Received Date: 29 December 2017

Accepted Date: 05 April 2018

Please cite this article as: Shefali Jain, Parul Chawla, Shailesh Narain Sharma, Dinesh Singh, N. Vijayan, Efficient Colloidal Route to Pure Phase Kesterite $\text{Cu}_2\text{ZnSnS}_4$ (CZTS) Nanocrystals with Controlled Shape and Structure, *Superlattices and Microstructures* (2018), doi: 10.1016/j.spmi.2018.04.003

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Graphical Abstract



The molecular interaction of different capping ligands involved in the synthesis of $\text{Cu}_2\text{ZnSnS}_4$ nanoparticles has been explained using LaMer's Plot.

Download English Version:

<https://daneshyari.com/en/article/7938530>

Download Persian Version:

<https://daneshyari.com/article/7938530>

[Daneshyari.com](https://daneshyari.com)