## Accepted Manuscript

Stable silica-coated self-assembly of gold nanorods: Synthesis and plasmonic properties

Jinsheng Liu, Caixia Kan, Daning Shi, Shanlin Ke, Yangzheng Liu

PII: S0749-6036(17)31884-0

DOI: 10.1016/j.spmi.2017.08.045

Reference: YSPMI 5220

To appear in: Superlattices and Microstructures


Received Date: 7 August 2017

Revised Date: 0749-6036 0749-6036

Accepted Date: 23 August 2017

Please cite this article as: J. Liu, C. Kan, D. Shi, S. Ke, Y. Liu, Stable silica-coated self-assembly of gold nanorods: Synthesis and plasmonic properties, *Superlattices and Microstructures* (2017), doi: 10.1016/j.spmi.2017.08.045.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## Stable silica-coated self-assembly of gold nanorods: synthesis and

## plasmonic properties

Jinsheng Liu,<sup>a,b</sup> Caixia Kan, <sup>\*b</sup> Daning Shi, <sup>\*b</sup> Shanlin Ke,<sup>b</sup> Yangzheng Liu<sup>a</sup>

<sup>a</sup> College of Science, Nanjing University of Aeronautics and Astronautics, Nanjing 210016, People's Republic of China

<sup>b</sup> Department of Mathematics and Physics, Nanjing Institute of Technology, Nanjing 211167, People's Republic of China

**Abstract:** Assembled gold nanorods (GNRs) attract much attention for their distinctive plasmon-coupled properties, but it remains challenging to realize practical use for their instability of the structure and the toxicity of the surfactant. We herein present a simple and effective protocol to coat mesoporous silica on the end-to-end and side-by-side assemblies, which are induced by different amount of the dithiol poly(ethylene glycol). The finite-difference time-domain (FDTD) simulations are also utilized to study the plasmonic properties of the nanostructures. Experimental and calculated results indicated that the as-prepared core-shell nanostructure possesses not only the optical stability, but also the fascinating and tunable optical response through changing the organized modes of assemblies. The result is promising in investigating near field plasmonic property, and biomedical application for *in vivo* bioimaging and photothermal cancer therapy.

Key words: Gold nanorods; Surface plasmon; Self-assembly; Core-shell nanostructure; FDTD solutions

<sup>\*</sup>E-mail: cxkan@nuaa.edu.cn (C. Kan); shi@nuaa.edu.cn (D. Shi)

Download English Version:

## https://daneshyari.com/en/article/7940138

Download Persian Version:

https://daneshyari.com/article/7940138

Daneshyari.com