

Interfacial Engineering Enables Bi@C-TiO<sub>x</sub> Microspheres as Superpower and Long Life Anode for Lithium-ion Batteries

Zhen-Dong Huang, Hao Lu, Kun Qian, Yan-Wu Fang, Qing-Chuan Du, Yan-Bing He, Titus Masese, Xu-Sheng Yang, Yan-Wen Ma, Wei Huang



PII: S2211-2855(18)30446-4  
DOI: <https://doi.org/10.1016/j.nanoen.2018.06.051>  
Reference: NANOEN2832

To appear in: *Nano Energy*

Received date: 27 April 2018  
Revised date: 1 June 2018  
Accepted date: 13 June 2018

Cite this article as: Zhen-Dong Huang, Hao Lu, Kun Qian, Yan-Wu Fang, Qing-Chuan Du, Yan-Bing He, Titus Masese, Xu-Sheng Yang, Yan-Wen Ma and Wei Huang, Interfacial Engineering Enables Bi@C-TiO<sub>x</sub> Microspheres as Superpower and Long Life Anode for Lithium-ion Batteries, *Nano Energy*, <https://doi.org/10.1016/j.nanoen.2018.06.051>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Interfacial Engineering Enables Bi@C-TiO<sub>x</sub> Microspheres as Superpower and Long Life Anode for Lithium-ion Batteries

Zhen-Dong Huang<sup>a,1</sup>, Hao Lu<sup>a,1</sup>, Kun Qian<sup>b,1</sup>, Yan-Wu Fang<sup>a</sup>, Qing-Chuan Du<sup>a</sup>, Yan-Bing He<sup>b,\*</sup>, Titus Masese<sup>c</sup>, Xu-Sheng Yang<sup>d,e</sup>, Yan-Wen Ma<sup>a,\*</sup>, Wei Huang<sup>a,f,\*</sup>

<sup>a</sup>Key Laboratory for Organic Electronics and Information Displays & Jiangsu Key Laboratory for Biosensors, Institute of Advanced Materials (IAM), Jiangsu National Synergetic Innovation Center for Advanced Materials (SICAM), Nanjing University of Posts & Telecommunications, 9 Wenyuan Road, Nanjing, 210023, China.

<sup>b</sup>Engineering Laboratory for the Next Generation Power and Energy Storage Batteries, Graduate School at Shenzhen, Tsinghua University, Shenzhen, 518055, China.

<sup>c</sup>Research Institute of Electrochemical Energy, National Institute of Advanced Industrial Science and Technology (AIST), Ikeda, Osaka, 563-8577, Japan.

<sup>d</sup>Department of Industrial and Systems Engineering, Hong Kong Polytechnic University, Hung Hom, Kowloon, Hong Kong, China.

<sup>e</sup>Hong Kong Polytechnic University Shenzhen Research Institute, Shenzhen, 518057, China

<sup>f</sup>Institute of Flexible Electronics (SIFE), Northwestern Polytechnical University (NPU), 127 West Youyi Road, Xi'an 710072, Shaanxi, China.

Dr. Y.B. He (he.yanbing@sz.tsinghua.edu.cn),

Prof. / Dr. Y.W. Ma (iamywma@njupt.edu.cn)

Prof. / Dr. W. Huang (Huangwei-huang@njtech.edu.cn)

\*Corresponding author:

---

<sup>1</sup> Dr. Z.D. Huang, Miss H. Lu, and Mr. K. Qian contributed equally to this work.

Download English Version:

<https://daneshyari.com/en/article/7952303>

Download Persian Version:

<https://daneshyari.com/article/7952303>

[Daneshyari.com](https://daneshyari.com)