

Author's Accepted Manuscript

Tailoring the electrocatalytic activity of bimetallic nickel-iron diselenide hollow nanochains for water oxidation

Lin Lv, Zhishan Li, Kan-Hao Xue, Yunjun Ruan, Xiang Ao, Houzhao Wan, Xiangshui Miao, Baoshun Zhang, Jianjun Jiang, Chundong Wang, Kostya (Ken) Ostrikov



PII: S2211-2855(18)30139-3
DOI: <https://doi.org/10.1016/j.nanoen.2018.03.010>
Reference: NANOEN2558

To appear in: *Nano Energy*

Received date: 29 October 2017
Revised date: 30 January 2018
Accepted date: 4 March 2018

Cite this article as: Lin Lv, Zhishan Li, Kan-Hao Xue, Yunjun Ruan, Xiang Ao, Houzhao Wan, Xiangshui Miao, Baoshun Zhang, Jianjun Jiang, Chundong Wang and Kostya (Ken) Ostrikov, Tailoring the electrocatalytic activity of bimetallic nickel-iron diselenide hollow nanochains for water oxidation, *Nano Energy*, <https://doi.org/10.1016/j.nanoen.2018.03.010>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Tailoring the electrocatalytic activity of bimetallic nickel-iron diselenide hollow nanochains for water oxidation

Lin Lv^{a,1}, Zhishan Li^{a,1}, Kan-Hao Xue^{a,b,*}, Yunjun Ruan^a, Xiang Ao^a, Houzhao Wan^c, Xiangshui Miao^{a,b}, Baoshun Zhang^d, Jianjun Jiang^a, Chundong Wang^{a,d,*}, Kostya (Ken) Ostrikov^{e,f}

^a School of Optical and Electronic Information, Huazhong University of Science and Technology, Wuhan 430074, PR China

^b Wuhan National Laboratory for Optoelectronics, Huazhong University of Science and Technology, Wuhan 430074, PR China

^c Hubei Collaborative Innovation Center for Advanced Organic Chemical Materials, Faculty of Physics and Electronic Science, Hubei University, Wuhan 430062, PR China

^d Key Laboratory of Nanodevices and Applications, Suzhou Institute of Nano-Tech and Nano-Bionics, Chinese Academy of Sciences, Suzhou, 215123, PR China

^e School of Chemistry, Physics and Mechanical Engineering, Queensland University of Technology, Brisbane, Queensland 4000, Australia

^f CSIRO-QUT Joint Sustainable Processes and Devices Laboratory, P.O. Box 218, Lindfield NSW 2070, Australia

xkh@hust.edu.cn

apcdwang@hust.edu.cn

*Corresponding authors.

ABSTRACT

Exploring low-cost, high-efficient and durable electrocatalysts to substitute for Ru, Ir-based noble metal catalysts is of great significance for oxygen evolution reaction (OER), which is in particular

¹ These authors contributed equally to this work.

Download English Version:

<https://daneshyari.com/en/article/7952714>

Download Persian Version:

<https://daneshyari.com/article/7952714>

[Daneshyari.com](https://daneshyari.com)