
Author's Accepted Manuscript

Manipulation of Charge Transport in Ferroelectricsemiconductor Hybrid for Photoelectrochemical Applications

Lin Yang, Yuli Xiong, Wenlong Guo, Ming Zhou, Kena Song, Peng Xiao, Guozhong Cao



www.elsevier.com/locate/nanoenergy

PII: S2211-2855(17)30753-X

DOI: https://doi.org/10.1016/j.nanoen.2017.11.066

Reference: NANOEN2367

To appear in: Nano Energy

Received date: 21 August 2017 Revised date: 16 November 2017 Accepted date: 28 November 2017

Cite this article as: Lin Yang, Yuli Xiong, Wenlong Guo, Ming Zhou, Kena Song, Peng Xiao and Guozhong Cao, Manipulation of Charge Transport in Ferroelectric-semiconductor Hybrid for Photoelectrochemical Applications, *Nano Energy*, https://doi.org/10.1016/j.nanoen.2017.11.066

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Manipulation of Charge Transport in Ferroelectric-semiconductor Hybrid for Photoelectrochemical Applications

Lin Yang^a, Yuli Xiong^a, Wenlong Guo^b, Ming Zhou^b, Kena Song^a, Peng Xiao^{a*}, Guozhong Cao^{c*}

- ^a College of Physics, Chongqing University, Chongqing 400030, China.
- ^b College of Chemistry and Chemical Engineering, Chongqing University, Chongqing 400030, China.
- ^c Department of Materials Science and Engineering, University of Washington, Seattle, WA98195, USA
- (P. Xiao) xiaopeng@cqu.edu.cn
- (G. Z. Cao) gzcao@u.washington.edu
- *Corresponding Author. Tel.: +86 15823038874. Fax: +86 02365102031.

To whom correspondence should be addressed:

Notes

The authors declare no competing financial interest.

Abstract

Manipulation the charge transport and energy band of a semiconductor is always an important theme for photoelectrochemistry. Here we design and fabricate a ferroelectric-semiconductor hybrid structure for photoelectrochemical applications.

Download English Version:

https://daneshyari.com/en/article/7952906

Download Persian Version:

https://daneshyari.com/article/7952906

<u>Daneshyari.com</u>