
Author's Accepted Manuscript

One-Step Nonlinear Electrochemical Synthesis of $Te_xS_y@PANI$ Nanorod Materials for Li-Te $_xS_y$ Battery

Jun Li, Yifei Yuan, Huile Jin, Huihang Lu, Aili Liu, Dewu Yin, Jichang Wang, Jun Lu, Shun Wang



PII:S2405-8297(18)30402-1DOI:https://doi.org/10.1016/j.ensm.2018.04.019Reference:ENSM371

To appear in: Energy Storage Materials

Received date:5 April 2018Revised date:16 April 2018Accepted date:17 April 2018

Cite this article as: Jun Li, Yifei Yuan, Huile Jin, Huihang Lu, Aili Liu, Dewu Yin, Jichang Wang, Jun Lu and Shun Wang, One-Step Nonlinear Electrochemical Synthesis of $Te_xS_y@PANI$ Nanorod Materials for Li- Te_xS_y Battery, *Energy Storage Materials*, https://doi.org/10.1016/j.ensm.2018.04.019

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

One-Step Nonlinear Electrochemical Synthesis of $Te_xS_y@PANI$

Nanorod Materials for Li-Te_xS_y Battery

One-Step Nonlinear Electrochemical Synthesis of $Te_xS_y@PANI$

Nanorod Materials for Li-Te_xS_y Battery

Jun Li^{a,d}, Yifei Yuan^c, Huile Jin^a, Huihang Lu^a, Aili Liu^a, Dewu Yin^a, Jichang Wang^b, Jun Lu^{c*}, and Shun Wang^{a,*}

^a College of Chemistry and Materials Engineering, Wenzhou University, Wenzhou, Zhejiang, 325035, China

^b Department of Chemistry and Biochemistry, University of Windsor, Windsor, ON, N9B 3P4, Canada

^c Chemical Sciences and Engineering Division, Argonne National Laboratory, Argonne, Illinois 60439, USA

^d SZU-NUS Collaborative Innovation Center for Optoelectronic Science & Technology, International Collaborative Laboratory of 2D Materials for Optoelectronics Science and Technology of Ministry of Education, College of Optoelectronic Engineering, Shenzhen University, Shenzhen, 518060, China

 \Box Corresponding authors.

E-mail addresses: junlu@anl.gov (J. Lu) Shunwang@wzu.edu.cn (S. Wang)

Author Contributions

S.W., J.W., and J. Lu designed the experiments. J. Li and H. L. performed the material synthesis, characterization and battery tests. J. Li analyzed the data and drafted the manuscript. Y.Y. performed the in-situ TEM measurements and made the major revision. All authors participated in discussions.

Notes

The authors declare no competing financial interest.

ACKNOWLEDGMENTS

We are grateful for financial support from the National Natural Science Foundation of China (51772219, 51641210, 21471116, 21601138), the Zhejiang Provincial Natural Science Foundation of China (LY17E020002, LZ15E020002 and LY17E020003). J. Lu gratefully acknowledges support from the U. S. Department of Energy (DOE), Office of Energy Efficiency and Renewable Energy, Vehicle Technologies Office. Argonne National Laboratory is operated for DOE Office of Science by UChicago

Download English Version:

https://daneshyari.com/en/article/7962289

Download Persian Version:

https://daneshyari.com/article/7962289

Daneshyari.com