

Author's Accepted Manuscript

Moderately Concentrated Electrolyte Improves Solid–Electrolyte Interphase and Sodium Storage Performance of Hard Carbon

Jagabandhu Patra, Hao-Tzu Huang, Weijiang Xue, Chao Wang, Ahmed S. Helal, Ju Li, Jeng-Kuei Chang



PII: S2405-8297(17)30695-5
DOI: <https://doi.org/10.1016/j.ensm.2018.04.022>
Reference: ENSM374

To appear in: *Energy Storage Materials*

Received date: 15 December 2017
Revised date: 19 April 2018
Accepted date: 19 April 2018

Cite this article as: Jagabandhu Patra, Hao-Tzu Huang, Weijiang Xue, Chao Wang, Ahmed S. Helal, Ju Li and Jeng-Kuei Chang, Moderately Concentrated Electrolyte Improves Solid–Electrolyte Interphase and Sodium Storage Performance of Hard Carbon, *Energy Storage Materials*, <https://doi.org/10.1016/j.ensm.2018.04.022>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Moderately Concentrated Electrolyte Improves Solid–Electrolyte Interphase and Sodium Storage Performance of Hard Carbon

Jagabandhu Patra ^a, Hao-Tzu Huang ^a, Weijiang Xue ^{b,c}, Chao Wang ^{b,c},

Ahmed S. Helal ^b, Ju Li ^{b,*}, Jeng-Kuei Chang ^{a, b,d *}

^aInstitute of Materials Science and Engineering, National Central University, Taoyuan, Taiwan

^bDepartment of Nuclear Science and Engineering and Department of Materials Science and Engineering, Massachusetts Institute of Technology, Cambridge, USA

^cSchool of Materials Science and Engineering, Tongji University, Shanghai 201804, China

^dHierarchical Green-Energy Materials (Hi-GEM) Research Center, National Cheng Kung University, Tainan, Taiwan

liju@mit.edu

jkchang@ncu.edu.tw;

jkchang@mit.edu

*Corresponding authors: Ju Li; Address: 77 Massachusetts Ave, Massachusetts Institute of Technology, Cambridge, MA 02139, USA

*Corresponding authors: Jeng-Kuei Chang; Address: 300 Jhong-Da Road, National Central University, Taoyuan, Taiwan; 77 Massachusetts Ave, Massachusetts Institute of Technology, Cambridge, MA 02139, USA

Abstract

Hard carbon (HC) is a promising anode for sodium-ion batteries. The current hurdles for the HC electrodes are insufficient coulombic efficiency (CE), rate capability, and cyclic

Download English Version:

<https://daneshyari.com/en/article/7962320>

Download Persian Version:

<https://daneshyari.com/article/7962320>

[Daneshyari.com](https://daneshyari.com)