


Accepted Manuscript

A model describing intra-granular fission gas behaviour in oxide fuel for advanced engineering tools

D. Pizzocri, G. Pastore, T. Barani, A. Magni, L. Luzzi, P. Van Uffelen, S.A. Pitts, A. Alfonsi, J.D. Hales



PII: S0022-3115(17)31503-9

DOI: [10.1016/j.jnucmat.2018.02.024](https://doi.org/10.1016/j.jnucmat.2018.02.024)

Reference: NUMA 50797

To appear in: *Journal of Nuclear Materials*

Received Date: 24 October 2017

Revised Date: 5 February 2018

Accepted Date: 16 February 2018

Please cite this article as: D. Pizzocri, G. Pastore, T. Barani, A. Magni, L. Luzzi, P. Van Uffelen, S.A. Pitts, A. Alfonsi, J.D. Hales, A model describing intra-granular fission gas behaviour in oxide fuel for advanced engineering tools, *Journal of Nuclear Materials* (2018), doi: 10.1016/j.jnucmat.2018.02.024.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A model describing intra-granular fission gas behaviour in oxide fuel for advanced engineering tools

D. Pizzocri^a, G. Pastore^b, T. Barani^a, A. Magni^a, L. Luzzi^{a,*},

P. Van Uffelen^c, S.A. Pitts^b, A. Alfonsi^b, J.D. Hales^b

^a Politecnico di Milano, Department of Energy, Nuclear Engineering Division, Via La Masa 34, 20156, Milan, Italy

^b Idaho National Laboratory, P.O. Box 1625, Idaho Falls, ID 83415-3840, United States

^c European Commission, Joint Research Centre, Directorate for Nuclear Safety and Security, P.O. Box 2340, 76125, Karlsruhe, Germany

* Corresponding author, lelio.luzzi@polimi.it

Abstract. The description of intra-granular fission gas behaviour is a fundamental part of any model for the prediction of fission gas release and swelling in nuclear fuel. In this work we present a model describing the evolution of intra-granular fission gas bubbles in terms of bubble number density and average size, coupled to gas release to grain boundaries. The model considers the fundamental processes of single gas atom diffusion, gas bubble nucleation, re-resolution and gas atom trapping at bubbles. The model is derived from a detailed cluster dynamics formulation, yet it consists of only three differential equations in its final form; hence, it can be efficiently applied in engineering fuel performance codes while retaining a physical basis. We discuss improvements relative to previous single-size models for intra-granular bubble evolution. We validate the model against experimental data, both in terms of bubble number density and average bubble radius. Lastly, we perform an uncertainty and sensitivity analysis by propagating the uncertainties in the parameters to model results.

Keywords. Fission gas behaviour, intra-granular behaviour, oxide fuel, gaseous swelling, fuel performance codes.

Download English Version:

<https://daneshyari.com/en/article/7963371>

Download Persian Version:

<https://daneshyari.com/article/7963371>

[Daneshyari.com](https://daneshyari.com)