Accepted Manuscript

Hot-worked microstructure and hot workability of cold-work tool steels

Jun-Yun Kang, Hoyoung Kim, Dongmin Son, Cheolpyo Kim, Soon Keun Park, Tae-Ho Lee

PII: \$1044-5803(17)31190-7

DOI: doi:10.1016/j.matchar.2017.11.001

Reference: MTL 8888

To appear in: *Materials Characterization*

Received date: 28 April 2017 Revised date: 29 October 2017 Accepted date: 1 November 2017

Please cite this article as: Jun-Yun Kang, Hoyoung Kim, Dongmin Son, Cheolpyo Kim, Soon Keun Park, Tae-Ho Lee, Hot-worked microstructure and hot workability of coldwork tool steels. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Mtl(2017), doi:10.1016/j.matchar.2017.11.001

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Hot-worked microstructure and hot workability of cold-work tool steels

Jun-Yun Kang a,* , Hoyoung Kim a,b , Dongmin Son c , Cheolpyo Kim d , Soon Keun Park c , Tae-Ho Lee^a

^aKorea Institute of Materials Science, 797 Changwon-daero, Seongsan-gu, Changwon, Gyeongnam 51508, Republic of Korea

^bCentral Corporation, 551 Gongdan-ro, Seongsan-gu, Changwon, Gyeongnam 51557, Republic of Korea

^cSěAH CSS, 147 Jeokhyeon-ro, Seongsan-gu, Changwon, Gyeongnam 51708, Republic of Korea

^dYoungJin Forging, 24-37 Yongsan6-gil, Chilwon-eup, Haman-gun, Gyeongnam 52017, Republic of Korea

*Corresponding author: firice@kims.re.kr

Tel: +82-55-280-3373

Fax: +82-55-280-3599

Download English Version:

https://daneshyari.com/en/article/7969438

Download Persian Version:

https://daneshyari.com/article/7969438

<u>Daneshyari.com</u>