Accepted Manuscript

Modeling, calculation, and experimental verification on the implantation depth of laser shock wave-driven WC nanoparticle into 5A06 aluminum alloy

J.Z. Lu, H.F. Lu, K.Y. Luo, C.Y. Cui

PII: S0925-8388(18)31895-4

DOI: 10.1016/j.jallcom.2018.05.182

Reference: JALCOM 46158

To appear in: Journal of Alloys and Compounds

Received Date: 24 January 2018


Revised Date: 22 April 2018 Accepted Date: 16 May 2018

Please cite this article as: J.Z. Lu, H.F. Lu, K.Y. Luo, C.Y. Cui, Modeling, calculation, and experimental verification on the implantation depth of laser shock wave-driven WC nanoparticle into 5A06 aluminum alloy, *Journal of Alloys and Compounds* (2018), doi: 10.1016/j.jallcom.2018.05.182.


This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Simulation result



Experiment result



Download English Version:

https://daneshyari.com/en/article/7991018

Download Persian Version:

https://daneshyari.com/article/7991018

<u>Daneshyari.com</u>