## **Accepted Manuscript**

Microstructural and core loss behaviors of addictive Fe-17 □ at% P based on Fe-3.5 □ Si alloys in powder injection molding

Da Seul Shin, Joo Won Oh, Hwi Jun Kim, Seong Jin Park

PII: S0925-8388(18)31198-8

DOI: 10.1016/j.jallcom.2018.03.321

Reference: JALCOM 45551

To appear in: Journal of Alloys and Compounds


Received Date: 26 December 2017

Revised Date: 6 March 2018
Accepted Date: 26 March 2018

Please cite this article as: D.S. Shin, J.W. Oh, H.J. Kim, S.J. Park, Microstructural and core loss behaviors of addictive Fe-17 □ at% P based on Fe-3.5 □ wt% Si alloys in powder injection moldiølgurnal of Alloys and Compounds (2018), doi: 10.1016/j.jallcom.2018.03.321.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.





d phase of Fe-17at% P >

< Processing optimization of powder injection molding >

Core loss, Magnetic induction, Maximum permeab Coercivity, Resistivity

< Microstructural and core loss behavior sintered soft magnetic alloys >

## Download English Version:

## https://daneshyari.com/en/article/7992148

Download Persian Version:

https://daneshyari.com/article/7992148

<u>Daneshyari.com</u>