

Accepted Manuscript

Degradation of Levofloxacin by heterogeneous activation of oxone using Co(OH)_2 /graphene composites

Yunqing Pi, Peng Zhao, Lingjia Ma, Yangdan Cao, Huiqing Gao, Shuying Dong, Jianhui Sun

PII: S0925-8388(18)30546-2

DOI: [10.1016/j.jallcom.2018.02.105](https://doi.org/10.1016/j.jallcom.2018.02.105)

Reference: JALCOM 44981

To appear in: *Journal of Alloys and Compounds*

Received Date: 18 December 2017

Revised Date: 5 February 2018

Accepted Date: 9 February 2018

Please cite this article as: Y. Pi, P. Zhao, L. Ma, Y. Cao, H. Gao, S. Dong, J. Sun, Degradation of Levofloxacin by heterogeneous activation of oxone using Co(OH)_2 /graphene composites, *Journal of Alloys and Compounds* (2018), doi: 10.1016/j.jallcom.2018.02.105.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Degradation of Levofloxacin by heterogeneous activation of Oxone using Co(OH)₂/graphene composites

Yunqing Pi^{*}, Peng Zhao, Lingjia Ma, Yangdan Cao, Huiqing Gao, Shuying Dong^{*}, Jianhui Sun

*School of Environment, Henan Normal University, Key Laboratory for Yellow River and Huai River Water Environmental and Pollution Control, Ministry of Education,
Henan Key Laboratory for Environmental Pollution Control, Xinxiang, Henan 453007, China*

^{*} Corresponding author

E-mail: pyunq@163.com(Y.Q. Pi) shidashuying@163.com (S.Y. Dong); Tel: +86 373 3329238; fax: +86 373 3326336.

Download English Version:

<https://daneshyari.com/en/article/7992460>

Download Persian Version:

<https://daneshyari.com/article/7992460>

[Daneshyari.com](https://daneshyari.com)