Accepted Manuscript

Effect of dew point on the reactive wetting of a C-2Mn-1.3Si (wt%) advanced high strength steel during continuous galvanizing

SURFACE & GOATINGS IFECHNOLOGY

Ghazal Seyed Mousavi, Joseph R. McDermid

PII: S0257-8972(18)30635-2

DOI: doi:10.1016/j.surfcoat.2018.06.060

Reference: SCT 23511

To appear in: Surface & Coatings Technology

Received date: 5 April 2018 Revised date: 22 June 2018 Accepted date: 25 June 2018

Please cite this article as: Ghazal Seyed Mousavi, Joseph R. McDermid, Effect of dew point on the reactive wetting of a C-2Mn-1.3Si (wt%) advanced high strength steel during continuous galvanizing. Sct (2018), doi:10.1016/j.surfcoat.2018.06.060

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Effect of Dew Point on the Reactive Wetting of a C-2Mn-1.3Si (wt.%) Advanced High Strength Steel During Continuous Galvanizing

Ghazal Seyed Mousavi, Joseph R. McDermid*

Steel Research Centre, McMaster University, Hamilton, Canada ON L8S 4L8

* corresponding author: mcdermid@mcmaster.ca,

+1 (905) 525-9140 ext. 27476

Download English Version:

https://daneshyari.com/en/article/8023212

Download Persian Version:

https://daneshyari.com/article/8023212

Daneshyari.com