## Accepted Manuscript

High cycle fatigue behavior of the severely plastically deformed 6082 aluminum alloy with an anodic and plasma electrolytic oxide coating

SURFACE & COATINGS TECHNOLOGY

Lisa Winter, Kristin Hockauf, Thomas Lampke

PII: S0257-8972(18)30619-4

DOI: doi:10.1016/j.surfcoat.2018.06.044

Reference: SCT 23495

To appear in: Surface & Coatings Technology

Received date: 28 May 2018 Revised date: 20 June 2018 Accepted date: 21 June 2018

Please cite this article as: Lisa Winter, Kristin Hockauf, Thomas Lampke, High cycle fatigue behavior of the severely plastically deformed 6082 aluminum alloy with an anodic and plasma electrolytic oxide coating. Sct (2018), doi:10.1016/j.surfcoat.2018.06.044

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## **ACCEPTED MANUSCRIPT**

High cycle fatigue behavior of the severely plastically deformed 6082 aluminum alloy with an anodic and plasma electrolytic oxide coating

May 28, 2018

Lisa Winter\*, Kristin Hockauf, Thomas Lampke

Materials and Surface Engineering Group, Institute of Materials Science and Engineering, Chemnitz University of Technology, D-09125, Germany

\* corresponding author, E-mail address: lisa.winter@mb.tu-chemnitz.de, phone: +49371 531 32632, fax: +49371 531 836171 (L. Winter)

**Keywords:** aluminum alloy, equal-channel angular pressing (ECAP), anodic oxide coating, plasma electrolytic oxide coating, high cycle fatigue

## Download English Version:

## https://daneshyari.com/en/article/8023504

Download Persian Version:

https://daneshyari.com/article/8023504

<u>Daneshyari.com</u>