

Accepted Manuscript

Properties of all-thin-film glass/ITO/WO₃:H/Ta₂O₅/NiO_x/ITO electrochromic devices prepared by magnetron sputtering

Xiaoqi Che, Zhonghou Wu, Guobo Dong, Xungang Diao, Yuliang Zhou, Junji Guo, Dongmei Dong, Mei Wang



PII: S0040-6090(18)30460-7
DOI: doi:[10.1016/j.tsf.2018.07.005](https://doi.org/10.1016/j.tsf.2018.07.005)
Reference: TSF 36762

To appear in: *Thin Solid Films*

Received date: 29 March 2017
Revised date: 5 July 2018
Accepted date: 6 July 2018

Please cite this article as: Xiaoqi Che, Zhonghou Wu, Guobo Dong, Xungang Diao, Yuliang Zhou, Junji Guo, Dongmei Dong, Mei Wang , Properties of all-thin-film glass/ITO/WO₃:H/Ta₂O₅/NiO_x/ITO electrochromic devices prepared by magnetron sputtering. Tsf (2018), doi:[10.1016/j.tsf.2018.07.005](https://doi.org/10.1016/j.tsf.2018.07.005)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Properties of All-thin-film Glass/ITO/WO₃:H/Ta₂O₅/NiO_x/ITO

Electrochromic Devices Prepared by Magnetron Sputtering

Xiaoqi Che, Zhonghou Wu, Guobo Dong, Xungang Diao*, Yuliang Zhou, Junji Guo,

Dongmei Dong and Mei Wang

Electrochromic Center, School of Physics and Nuclear Energy Engineering, Beihang University, Beijing

100191, PR China

* Corresponding author: Xungang Diao

Tel: +86-10-82317935. Fax: +86-10-82317241

Email address: diaoxg@buaa.edu.cn

School of Physics and Nuclear Energy Engineering, Beihang University, Beijing 100191, P. R. China

Download English Version:

<https://daneshyari.com/en/article/8032475>

Download Persian Version:

<https://daneshyari.com/article/8032475>

[Daneshyari.com](https://daneshyari.com)