Accepted Manuscript

Parameter Optimization of Laser Cladding Process and Resulting Microstructure for the Repair of Tenon on Steam Turbine Blade

Chun-Ming Lin, Research Fellow and author for correspondence

PII: S0042-207X(15)00075-5

DOI: 10.1016/j.vacuum.2015.02.021

Reference: VAC 6566

To appear in: Vacuum

Received Date: 16 December 2014

Revised Date: 11 February 2015

Accepted Date: 12 February 2015

Please cite this article as: Lin C-M, Parameter Optimization of Laser Cladding Process and Resulting Microstructure for the Repair of Tenon on Steam Turbine Blade, *Vaccum* (2015), doi: 10.1016/ j.vacuum.2015.02.021.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Parameter Optimization of Laser Cladding Process and Resulting Microstructure for the Repair of Tenon on Steam Turbine Blade

Chun-Ming Lin

Research Fellow and author for correspondence, Department of Materials Science and Engineering, National Tsing Hua University, Hsinchu, 300 Taiwan E-mail address: <u>chunming@mx.nthu.edu.tw</u> <u>clin112@asu.edu</u> <u>D9503503@mail.ntust.edu.tw</u>

Department of Materials Science and Engineering National Tsing Hua University 101, Sec. 2, Kuang-Fu Road, Hsinchu 30013, Taiwan. Tel: +886-3-571-5131 Ext. 33830 Fax:+ 886-3-572-2366 E-mail: <u>chunming@mx.nthu.edu.tw</u>/ <u>clin112@asu.edu</u>/ <u>D9503503@mail.ntust.edu.tw</u> Download English Version:

https://daneshyari.com/en/article/8045020

Download Persian Version:

https://daneshyari.com/article/8045020

Daneshyari.com