


Accepted Manuscript

Identification of release sources in advection-diffusion system by machine learning combined with Green's function inverse method

Valentin G. Stanev, Filip L. Iliev, Scott Hansen, Velimir V. Vesselinov, Boian S. Alexandrov

PII: S0307-904X(18)30122-7
DOI: [10.1016/j.apm.2018.03.006](https://doi.org/10.1016/j.apm.2018.03.006)
Reference: APM 12197



To appear in: *Applied Mathematical Modelling*

Received date: 5 April 2017
Revised date: 21 February 2018
Accepted date: 8 March 2018

Please cite this article as: Valentin G. Stanev, Filip L. Iliev, Scott Hansen, Velimir V. Vesselinov, Boian S. Alexandrov, Identification of release sources in advection-diffusion system by machine learning combined with Green's function inverse method, *Applied Mathematical Modelling* (2018), doi: [10.1016/j.apm.2018.03.006](https://doi.org/10.1016/j.apm.2018.03.006)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Novel inverse method for advection-diffusion equation with unknown number of sources is proposed
- Observational data containing mixtures of unknown number of release sources is decomposed
- Proposed method combines machine learning techniques with Greens function inverse analysis
- Sets of synthetic contamination sources in a two dimensional aquifer are identified
- Method can be extended to complex release sources and applied with different Green's functions

Download English Version:

<https://daneshyari.com/en/article/8051355>

Download Persian Version:

<https://daneshyari.com/article/8051355>

[Daneshyari.com](https://daneshyari.com)