Accepted Manuscript

On sparse beamformer design with reverberation

Zhibao Li, Ka Fai Cedric Yiu, Yu-Hong Dai

 PII:
 S0307-904X(17)30652-2

 DOI:
 10.1016/j.apm.2017.10.035

 Reference:
 APM 12036

To appear in:

Applied Mathematical Modelling

Received date:2 March 2017Revised date:10 October 2017Accepted date:19 October 2017

Please cite this article as: Zhibao Li, Ka Fai Cedric Yiu, Yu-Hong Dai, On sparse beamformer design with reverberation, *Applied Mathematical Modelling* (2017), doi: 10.1016/j.apm.2017.10.035

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- The indoor broadband sparse beamformer design is studied.
- The sparse design problem is formulated as L2-Lp optimization with p < 1.
- A smoothing BB-step gradient method is proposed for the problem.
- The proposed method achieves good indoor sparse beamformer designs.

Download English Version:

https://daneshyari.com/en/article/8051710

Download Persian Version:

https://daneshyari.com/article/8051710

Daneshyari.com