Accepted Manuscript

Locating damaged storeys in a structure based on its identified modal parameters in Cauchy wavelet domain

Wei C. Su, Tuyen Q. Le, Chiung S. Huang, Pei Y. Lin

 PII:
 S0307-904X(17)30102-6

 DOI:
 10.1016/j.apm.2017.02.006

 Reference:
 APM 11594


To appear in:

Applied Mathematical Modelling

Received date:1 April 2016Revised date:22 November 2016Accepted date:6 February 2017

Please cite this article as: Wei C. Su, Tuyen Q. Le, Chiung S. Huang, Pei Y. Lin, Locating damaged storeys in a structure based on its identified modal parameters in Cauchy wavelet domain, *Applied Mathematical Modelling* (2017), doi: 10.1016/j.apm.2017.02.006

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

Ô

- A flexibility-based procedure for accurately locating damaged storeys of a structure is developed.
- The modal parameters that identified in continuous Cauchy wavelet domain are employed.
- The accuracy and effectiveness of the proposed approach are confirmed by numerical simulations.
- Acceleration responses of three-story and eight-story steel frames in shaking table test are also processed.

1

Download English Version:

https://daneshyari.com/en/article/8052171

Download Persian Version:

https://daneshyari.com/article/8052171

Daneshyari.com