Accepted Manuscript



Thermochemical characterizations of high-stable activated alumina/LiCl composites with multistage sorption process for thermal storage

Y.N. Zhang, R.Z. Wang, T.X. Li

PII:	S0360-5442(18)30867-3
DOI:	10.1016/j.energy.2018.05.047
Reference:	EGY 12880
To appear in:	*Energy*
Received Date:	19 December 2017
Accepted Date:	07 May 2018

Please cite this article as: Y.N. Zhang, R.Z. Wang, T.X. Li, Thermochemical characterizations of high-stable activated alumina/LiCl composites with multistage sorption process for thermal storage, *Energy* (2018), doi: 10.1016/j.energy.2018.05.047

Thermochemical characterizations of high-stable activated alumina/LiCl composites with multistage sorption process for thermal storage

Y.N. Zhang, R.Z. Wang*, T.X. Li

Institute of Refrigeration and Cryogenics and Key Laboratory of Power Mechanical Engineering, MOE China, Shanghai Jiao Tong University, Shanghai, 200240

* Corresponding author: R.Z. Wang

Email: rzwang@sjtu.edu.cn

800 Dong Chuan Road, Shanghai, 200240, P.R.China.

Tel.: +86 21 34206548; fax: +86 21 34206548.