Accepted Manuscript

The Effect of Different Diesterol (Diesel–Biodiesel–Ethanol) Blends on Small Air-Cooled Diesel Engine Performance and Its Exhaust Gases

Yaser Noorollahi, Mohsen Azadbakht, Barat Ghobadian

PII:	S0360-5442(17)31693-6
DOI:	10.1016/j.energy.2017.10.024
Reference:	EGY 11668
To appear in:	Energy
Received Date:	17 May 2017
Revised Date:	12 July 2017
Accepted Date:	07 October 2017

Please cite this article as: Yaser Noorollahi, Mohsen Azadbakht, Barat Ghobadian, The Effect of Different Diesterol (Diesel–Biodiesel–Ethanol) Blends on Small Air-Cooled Diesel Engine Performance and Its Exhaust Gases, *Energy* (2017), doi: 10.1016/j.energy.2017.10.024

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Highlights:

- Using $D_{91}B_6E_3$ fuel blend, engine power increased and reduced in other fuel blends.
- Using $D_{91}B_6E_3$ fuel blend, the highest torque was obtained.
- Most and Lowest CO and CO_2 were generated in pure diesel and $D_{91}B_6E_3$, respectively.
- Most and Lowest HC were generated in D₉₇B₂E₁ and D₉₁B₆E₃ respectively.
- Most NO_X are generated in $D_{91}B_6E_3$ and the lowest NO_X were generated in $D_{97}B_2E_1$.

Download English Version:

https://daneshyari.com/en/article/8072476

Download Persian Version:

https://daneshyari.com/article/8072476

Daneshyari.com