


# Accepted Manuscript

Transactive Energy Integration in Future Smart Rural Network Electrification

Mohammadreza Daneshvar, Mahmoud Pesaran, Behnam Mohammadi-ivatloo



PII: S0959-6526(18)31056-4  
DOI: 10.1016/j.jclepro.2018.04.043  
Reference: JCLP 12624  
To appear in: *Journal of Cleaner Production*  
Received Date: 04 December 2017  
Revised Date: 02 March 2018  
Accepted Date: 04 April 2018

Please cite this article as: Mohammadreza Daneshvar, Mahmoud Pesaran, Behnam Mohammadi-ivatloo, Transactive Energy Integration in Future Smart Rural Network Electrification, *Journal of Cleaner Production* (2018), doi: 10.1016/j.jclepro.2018.04.043

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Transactive Energy Integration in Future Smart Rural Network Electrification

Mohammadreza Daneshvar, Mahmoud Pesaran, Behnam Mohammadi-ivatloo

E-mails: m.r.daneshvar95@ms.tabrizu.ac.ir; mpesaran@tabrizu.ac.ir; bmohammadi@tabrizu.ac.ir

Smart Energy Systems Laboratory, Faculty of Electrical and Computer Engineering, University of Tabriz,  
Tabriz, Iran

*Abstract*— The electrification of current networks is developing to modernize and have a complete smart structure. Rural network electrification as a special part of the power grid will play a vital role in the future smart grid. However, energy management and balancing the supply and demand in rural area have created challenges for the distribution companies. In response to the mentioned challenges, the transactive energy (TE) as a new market based technology is applied to integrate the nine villages and manage the energy exchanging among them optimally. In order to evaluate the effects of TE technology on the rural network integration, three models are considered for analysis of the energy cost of each village and energy not supplied (ENS) in the presence of the renewable energy resources. First model assumed that none of the villages is equipped with renewable energy resources and all their electricity demand is fully provided by the power grid. While the renewable and non-renewable energy resources are considered for two other models. In the second model (individual mode), the villages cannot exchange energy with each other (local transaction market) and they can only connect to the power grid, but in the third model (integrated mode) the villages have an interconnected situation and may exchange energy with each other and grid under the TE management. Simulation results for the nine villages located in India are presented and

Download English Version:

<https://daneshyari.com/en/article/8095013>

Download Persian Version:

<https://daneshyari.com/article/8095013>

[Daneshyari.com](https://daneshyari.com)