


Accepted Manuscript

Use of organoclay as a stabilizer for water-in-oil emulsions under high-temperature high-salinity conditions

Abdelhalim I.A. Mohamed, Ibnelwaleed A. Hussein, Abdullah S. Sultan, Ghaithan A. Al-Muntasheri



PII: S0920-4105(17)30862-8

DOI: [10.1016/j.petrol.2017.10.077](https://doi.org/10.1016/j.petrol.2017.10.077)

Reference: PETROL 4401

To appear in: *Journal of Petroleum Science and Engineering*


Received Date: 23 February 2017

Revised Date: 27 August 2017

Accepted Date: 26 October 2017

Please cite this article as: Mohamed, A.I.A., Hussein, I.A., Sultan, A.S., Al-Muntasheri, G.A., Use of organoclay as a stabilizer for water-in-oil emulsions under high-temperature high-salinity conditions, *Journal of Petroleum Science and Engineering* (2017), doi: 10.1016/j.petrol.2017.10.077.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Phase behavior for the emulsion system, 600 ppm Cloisite 15A at 120°C (248°F)

Download English Version:

<https://daneshyari.com/en/article/8125527>

Download Persian Version:

<https://daneshyari.com/article/8125527>

[Daneshyari.com](https://daneshyari.com)