

Accepted Manuscript

Lunar impact history constrained by GRAIL-derived basin relaxation measurements

Jack W. Conrad , Francis Nimmo , Caleb I. Fassett ,
Shunichi Kamata

PII: S0019-1035(17)30697-8
DOI: [10.1016/j.icarus.2018.05.029](https://doi.org/10.1016/j.icarus.2018.05.029)
Reference: YICAR 12917

To appear in: *Icarus*

Received date: 3 October 2017
Revised date: 17 April 2018
Accepted date: 29 May 2018

Please cite this article as: Jack W. Conrad , Francis Nimmo , Caleb I. Fassett , Shunichi Kamata , Lunar impact history constrained by GRAIL-derived basin relaxation measurements, *Icarus* (2018), doi: [10.1016/j.icarus.2018.05.029](https://doi.org/10.1016/j.icarus.2018.05.029)



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- We show that buried lunar impact basins are among oldest on the Moon.
- A transition in the mean relaxation state of impact basins exists.
- This relaxation transition constrains impact flux models and the late veneer.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/8133783>

Download Persian Version:

<https://daneshyari.com/article/8133783>

[Daneshyari.com](https://daneshyari.com)