

The Albedo of Mars: Six Mars Years of Observations from Pancam on the Mars Exploration Rovers and Comparisons to MOC, CTX and HiRISE

Melissa S. Rice , Michael Reynolds , Genevieve Studer-Ellis , James F. Bell III , Jeffrey R. Johnson , Kenneth E. Herkenhoff , Danika Wellington , Kjartan M. Kinch

PII: S0019-1035(17)30442-6
DOI: 10.1016/j.icarus.2018.05.017
Reference: YICAR 12905

To appear in: *Icarus*

Received date: 13 June 2017
Revised date: 2 May 2018
Accepted date: 21 May 2018

Please cite this article as: Melissa S. Rice , Michael Reynolds , Genevieve Studer-Ellis , James F. Bell III , Jeffrey R. Johnson , Kenneth E. Herkenhoff , Danika Wellington , Kjartan M. Kinch , The Albedo of Mars: Six Mars Years of Observations from Pancam on the Mars Exploration Rovers and Comparisons to MOC, CTX and HiRISE , *Icarus* (2018), doi: 10.1016/j.icarus.2018.05.017

Highlights:

- Pancam estimates the Lambert albedo at Gusev crater and Meridiani Planum, Mars
- Albedo varies on small spatial/temporal scales due to localized wind events
- Albedo measurements from Pancam, MOC, CTX and HiRISE agree to within 15%