Accepted Manuscript

Determination of Eruption Temperature of Io's Lavas Using Lava Tube Skylights

Ashley Gerard Davies, Laszlo P. Keszthelyi, Alfred S. McEwen

 PII:
 S0019-1035(16)30264-0

 DOI:
 10.1016/j.icarus.2016.06.003

 Reference:
 YICAR 12090

To appear in: Icarus

| Received date: | 13 January 2016 |
|----------------|-----------------|
| Revised date: | 1 June 2016 |
| Accepted date: | 2 June 2016 |

Please cite this article as: Ashley Gerard Davies, Laszlo P. Keszthelyi, Alfred S. McEwen, Determination of Eruption Temperature of Io's Lavas Using Lava Tube Skylights, *Icarus* (2016), doi: 10.1016/j.icarus.2016.06.003

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- Lava tube skylights are ideal for evaluating Io's lava eruption temperature.
- We model thermal emission based on composition, size and flow speed.
- The skylight has to be relatively small, and the lava stream viewed.
- The resulting 0.9:0.7 µm radiance ratio is diagnostic of composition.

Download English Version:

https://daneshyari.com/en/article/8134888

Download Persian Version:

https://daneshyari.com/article/8134888

Daneshyari.com