Reducing inspection time of pulse phase thermography by using phase data at higher frequency range

Masashi Ishikawa, Nagahisa Ogasawara, Hiroyuki Yamada, Hideyuki Kasano, Masashi Koyama, Hiroshi Hatta, Shin Utsunomiya, Yutaka Nishitani, Ryo Fukui

PII: S1350-4495(17)30193-7
DOI: https://doi.org/10.1016/j.infrared.2018.05.008
Reference: INFPHY 2559

To appear in: *Infrared Physics & Technology*

Received Date: 11 April 2017
Revised Date: 17 March 2018
Accepted Date: 7 May 2018

Please cite this article as: M. Ishikawa, N. Ogasawara, H. Yamada, H. Kasano, M. Koyama, H. Hatta, S. Utsunomiya, Y. Nishitani, R. Fukui, Reducing inspection time of pulse phase thermography by using phase data at higher frequency range, *Infrared Physics & Technology* (2018), doi: https://doi.org/10.1016/j.infrared.2018.05.008

Reducing inspection time of pulse phase thermography by using phase data at higher frequency range

Masashi Ishikawa[1*], Nagahisa Ogasawara[2], Hiroyuki Yamada[2], Hideyuki Kasano[3], Masashi Koyama[4], Hiroshi Hatta[5], Shin Utsunomiya[6], Yutaka Nishitani[6] and Ryo Fukui[6]

[1] Graduate School of Science and Technology, Tokushima University
2-1 Minamijosannjima-cho, Tokushima, 770-8506, Japan

[2] Department of Mechanical Engineering, National Defense Academy
1-10-20 Hashirimizu, Yokosuka, Kanagawa, 239-8686, Japan

[3] Department of Civil Engineering, Nihon University
Nakagawara, Tokusada, Tamura, Koriyama, Fukushima, 963-8642, Japan

[4] School of Science and Engineering, Meisei University
2-1-1 Hodokubo, Hino, Tokyo, 191-8506, Japan

[5] Japan Aerospace Exploration Agency
3-1-1 Yoshinodai, Chuo-ku, Sagamihara, Kanagawa, 252-5210, Japan

[6] KJTD Co., Ltd.
45th floor Sunshine60, 1-1 Higashiikebukuro 3-chome, Toshima-ku, Tokyo, 170-6045 Japan

[*] Corresponding author
TEL: +81-88-656-7358, E-mail: m.ishikawa@tokushima-u.ac.jp