

## Accepted Manuscript

An analytical optimization model for infrared image enhancement via local context

Yongjian Xu, Kun Liang, Yiru Xiong, Hui Wang

PII: S1350-4495(17)30113-5  
DOI: <https://doi.org/10.1016/j.infrared.2017.10.002>  
Reference: INFPHY 2397

To appear in: *Infrared Physics & Technology*

Received Date: 24 February 2017  
Revised Date: 28 August 2017  
Accepted Date: 9 October 2017

Please cite this article as: Y. Xu, K. Liang, Y. Xiong, H. Wang, An analytical optimization model for infrared image enhancement via local context, *Infrared Physics & Technology* (2017), doi: <https://doi.org/10.1016/j.infrared.2017.10.002>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



# An analytical optimization model for infrared image enhancement via local context

Yongjian Xu<sup>a</sup>, Kun Liang<sup>a,\*</sup>, Yiru Xiong<sup>b</sup>, Hui Wang<sup>a</sup>

<sup>a</sup>*School of Electronic Information and Communications, Huazhong University of Science and Technology, Wuhan, China, 430072*

<sup>b</sup>*Nanchang Health School, Nanchang, China, 330006*

---

## Abstract

The requirement for high-quality infrared images is constantly increasing in both military and civilian areas, and it is always associated with little distortion and appropriate contrast, while infrared images commonly have some shortcomings such as low contrast. In this paper, we propose a novel infrared image histogram enhancement algorithm based on local context. By constraining the enhanced image to have high local contrast, a regularized analytical optimization model is proposed to enhance infrared images. The local contrast is determined by evaluating whether two intensities are neighbors and calculating their differences. The comparison on 8-bit images shows that the proposed method can enhance the infrared images with more details and lower noise.

*Keywords:* Infrared, Histogram Enhancement, Analytical Model, Context-sensitive

---

## 1. Introduction

Infrared techniques are applied widely in various areas, such as military field, precision agriculture, power patrol inspection, security, and others [1, 2, 3]. The requirement for high-quality infrared images is constantly increasing in these areas. However, due to the sensitivity limit and high dynamic range of infrared imaging devices, infrared images commonly have some shortcomings such as

---

\*Corresponding author

Download English Version:

<https://daneshyari.com/en/article/8146124>

Download Persian Version:

<https://daneshyari.com/article/8146124>

[Daneshyari.com](https://daneshyari.com)